

- ☐ Specify color _____
(See color chart in back of catalog)
- ☐ Model 4738 — Recessed
- ☐ Model 4738-10 — Semi-Recessed
(recesses 2"; projects 2")
- ☐ Model 4738-11 — Surface-Mounted
(projects 4")

☒ Accent Series — Color Laminate

Product Materials

CABINET: 22 gauge stainless steel with exposed surfaces in architectural satin finish. Welded construction with burr-free edges.

DOOR: 5/16" thick solid laminate, made of colored Melamine bonded under pressure to a phenolic core. All exposed edges are machined smooth to a uniform dark finish. Attached to cabinet with full-length, heavy-duty stainless steel piano hinge. Equipped with a latch. Tumbler lock optional.

PUSH FLAP DOOR: same material as cabinet door. Heavy-duty stainless steel piano hinge.

WASTE RECEPTACLE INSERT: leakproof molded plastic.

Capacity

1.5 gal. (0.2 cu. ft.)

Operation

Waste container removable by opening cabinet door. Furnished with waxed paper liner.

Installation

Verify all rough-in dimensions prior to installation. Recessed unit requires rough wall opening 11 3/8"W x 15 3/4"H x 4"D (Semi-recessed unit only 2" deep). Secure to framing with mounting screws (included) at holes provided. Shim at screw points as required.

Guide Specification

Recessed napkin disposal shall be fabricated of stainless steel. Cabinet door of 5/16" thick solid laminate with full length concealed piano hinge and a latch. Self-closing push flap door secured by piano hinge. Removable 1.5 gal. molded plastic receptacle.

Overall dimensions: 13"W x 17 3/4"H x 4"D.



Optional Features


Feature	Suffix
<input type="checkbox"/> Tumbler lock	-15

ADA Compliant

- ☒ Consult local and national accessibility codes for proper installation guidelines.
- ☒ Conformity and compliance to local and national codes is the responsibility of the installer.

Washroom Accessories
Document No. 8410

Dimensions



Dim. "A" Key Surface:	For Dim. "A"	Top of Rough Wall Opening	Bottom of Rough Wall Opening
Top of Door (5 1/2" Door Opening) to Finished Floor	48" (1219mm)	49" (1245mm)	33 1/4" (845mm)
	45" (1143mm)	46" (1168mm)	30 1/4" (768mm)
	42" (1067mm)	43" (1092mm)	27 1/4" (692mm)
	36" (914mm)	37" (940mm)	21 1/4" (540mm)
	33" (838mm)	34" (864mm)	18 1/4" (464mm)
Rough wall opening:			
Surface Mount:	No rough opening, see overall dimensions		
Recessed:	11 3/8" (289mm) Wide x 15 3/4" (400mm) High x 4" (102mm) Deep		
Semi-Recessed:	11 3/8" (289mm) Wide x 15 3/4" (400mm) High x 2" (51mm) Deep		